



**CITY OF MORRO BAY**  
COMMUNITY DEVELOPMENT DEPARTMENT  
955 Shasta Avenue  
Morro Bay, CA 93442

## **BUILDING DIVISION COMMUNITY MEMO**

**DATE:** February 06, 2023  
**TO:** Contractors & Owners  
**FROM:** Chad A. Ouimet  
**SUBJECT: WORK EXEMPT FROM PERMITS**

### ***R105.2 Work exempt from permit.***

*Exemption from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction. Permits shall not be required for the following:*

#### **Building:**

1. One-story detached accessory structures, provided that the floor area does not exceed 120 square feet (11.15 m<sup>2</sup>) and does not contain electrical, mechanical, or plumbing.
2. Fences not over 6'.5" (2134 mm) high.
3. Retaining walls that are not over 4 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge or supporting a sloping backfill.
4. Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons (18 927 L) and the ratio of height to diameter or width does not exceed 2 to 1.
5. Sidewalks and driveways.
6. Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
7. Prefabricated swimming pools that are less than 24 inches (610 mm) deep.
8. Swings and other playground equipment.
9. Window awnings supported by an exterior wall that do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support.
10. Decks not exceeding 200 square feet (18.58 m<sup>2</sup>) in area, that are not more than 30 inches (762 mm) above grade at any point, are not attached to a dwelling and do not serve the exit door required by [Section R311.4](#).

Memo: 004\_Work Exempt from Permits\_02/06/2023

**Electrical:**

11. Listed cord-and-plug connected temporary decorative lighting.
12. Reinstallation of attachment plug receptacles but not the outlets, therefore.
13. Replacement of branch circuit overcurrent devices of the required capacity in the same location.
14. Electrical wiring, devices, appliances, apparatus, or equipment operating at less than 25 volts and not capable of supplying more than 50 watts of energy.
15. Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.

**Gas:**

16. Portable heating, cooking or clothes drying appliances.
17. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.
18. Portable-fuel-cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

**Mechanical:**

19. Portable heating appliances.
20. Portable ventilation appliances.
21. Portable cooling units.
22. Steam, hot- or chilled-water piping within any heating or cooling equipment regulated by this code.
23. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.
24. Portable evaporative coolers.
25. Self-contained refrigeration systems containing 10 pounds (4.54 kg) or less of refrigerant or that are actuated by motors of 1 horsepower (746 W) or less.
26. Portable-fuel-cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

**Plumbing:**

27. The stopping of leaks in drains, water, soil, waste, or vent pipe; provided, however, that if any concealed trap, drainpipe, water, soil, waste, or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.
28. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes, or fixtures.

**R105.2.1 Emergency repairs.**

Where equipment replacements and repairs must be performed in an emergency situation, the permit application shall be submitted within the next working business day to the building official.

**R105.2.2 Repairs.**

Application or notice to the building official is not required for ordinary repairs to structures, replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles. Such repairs shall not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include addition to, alteration of, replacement or relocation of any water supply, sewer, drainage, drain leader, gas, soil, waste, vent or similar piping, electric wiring or mechanical or other work affecting public health or general safety.

**R105.2.3 Public service agencies.**

A permit shall not be required for the installation, alteration or repair of generation, transmission, distribution, metering or other related equipment that is under the ownership and control of public service agencies by established right.